


Figure 3

30	1 302	303	304	305	30	6 /307	308
FLAG	SERVICE	SPEED	VOICE	MOVING IMAGE	AREA	PRIVACY	PRICE
VALID	VOICE COMMUN- -ICATION	В	AA	В	AA	AA	А
VALID	INTERNET	AA	В	В	Α	В	AA
VALID	MOVING -IMAGE COMMUN- -ICATION	AA	В	AA	Α	AA	А

					MOV IMA		
301	302	303	304	30	5	306 / 30	7 /308
FLAG	SERVICE	SPEED	VOICE		AREA	PRIVACY	PRICE
INVALID	VOICE COMMUN- -ICATION	В	AA	В	AA	AA	Α
VALID	INTERNET	AA	В	В	Α	В	AA
VALID	MOVING -IMAGE COMMUN- -ICATION	AA	В	AA	А	AA	А
401	402		<u>_</u>				


Figure 5




3ffe:501::100:204:b1ff:fe98:3e9

601		/	603 60		605 600	/
TYPE	SPEED	VOICE	MOVING IMAGE	AREA	PRIVACY	PRICE
CDIVIAZUUU	2	5	3	3	5	2
W-CDMA	3	5	4	. 2	5	1
IEEE802.11a	5	3	2	2	3	5
IEEE802.11b	4	1	1	2	3	5
IEEE802.11e	5	4	5	1	3	5
PHS	2	5	2	3	5	$\frac{3}{3}$
PDC	1	5	1	5	5	3

Figure 7



Page 4/30









Figure 10



Page 5/30





Page 6/30






Figure 14



1501	1502	1503
MOBILE COMMUNICATION DEVICE IDENTIFIER	INTERFACE TYPE	PRIORITY
3ffe:501::100:3226:bdff:fe20:667d	W-CDMA	1
	IEEE802.11a	2



Page 8/30






Figure 18

1801	1802	1803	1804	
Mobile Router Identifier	Interface Type	Link Status	Priority	
3ffe:501::100:204:b1ff:fe98:3e9	IEEE802.11a	Connected	2	
/	W-CDMA	Connected	1	
	PDC	Connected	3	
3ffe:501:5:187:104:eeff:fe31:7729				

3ffe:501:221:10:312:26ff:fe14:2805








Figure 22A





Figure 22B



Page 12/30





Figure 24



Hirokazu Kobayashi et al.

MOBILE COMMUNICATION DEVICE....
MAT-8606US Customer #52473

REPLACEMENT SHEET

Figure 25a

MESSAGE IDENTIFIER			
MESSAGE LENGTH	-2501		
MOBILE COMMUNICATION DEVICE IDENTIFIER			
EXTERNAL INTERFACE TYPE	2502		

Figure 25b





Figure 25c



Page 14/30


Hirokazu Kobayashi et al.
MOBILE COMMUNICATION DEVICE...
MAT-8606US Customer #52473
REPLACEMENT SHEET

Figure 26a


MESSAGE IDENTIFIER	
MESSAGE LENGTH	204
MOBILE ROUTER IDENTIFIER	301
EXTERNAL INTERFACE TYPE 26	602

Figure 26b


MESSAGE IDENTIFIER	
MESSAGE LENGTH	
MOBILE ROUTER IDENTIFIER	2601
MOBILE COMMUNICATION DEVICE IDENTIFIER	2603
EXTERNAL INTERFACE TYPE	2602
	1




Page 16/30




Page 17/30




Page 18/30



Page 19/30





Page 21/30








Figure 34





Page 23/30












Page 28/30

Hirokazu Kobayashi et al.
MOBILE COMMUNICATION DEVICE....
MAT-8606US Customer #52473
REPLACEMENT SHEET

Figure 40

4001	4002
INTERFACE TYPE	LINK STATUS
W-CDMA	CONNECTED
IEEE802.11a	CONNECTED

Figure 41 PRIOR ART



Page 29/30

Figure 42 PRIOR ART

